

TECHNICAL DATASHEET

Ultima FR



www.ja-int.com | +44 (0)1790 752 757

J&A (International) Ltd. Insignia House, Vale Road, Spilsby, Lincolnshire PE23 5HE

Ultima FR



TECHNICAL DATASHEET

www.ja-int.com

APPLICATION

Temperature (°C): 200°C Temperature (°F): 392°F

Time: 12 seconds

Pressure: High 56.9 - 71.1 psi / 3.9 - 4.9 bar / 4.0 - 5.0 kg/cm2

Carrier Release: N/A

LAUNDERING

Suitable for Industrial Laundering up to 85°C Suitable for Industrial Drying Techniques - Medium Suitable for Dry-Cleaning Iron - Medium, On Reverse Do Not Bleach Do Not wash with strong Acid or Alkaline additives

HANDLING AND STORAGE

Store in a damp-free environment at a stable temperature of ~20°C Keep away from direct sunlight No personal protection equipment is required in handling and storage

COMPOSITION

Base - Fabric with Solvent ink coating Adhesive - Polyester Print - UV Cure Carrier - N/A

HEALTH & SAFETY

This product is identified as Non-Hazardous to the end user No PPE is required during application**

ENVIRONMENTAL / RECYCLING

Non-Recyclable Compostable

CERTIFICATION

Wash Stability: EN ISO 15797

Flame Retardant: EN ISO 11611 & EN ISO 11612

Liquid Penetration: EN 13034:2005 + A1:2009 / EN 14325:2004

Chemical Splash: BS EN 13034

V1.1

^{**}Any furnes created by this transfer during application are harmless. However, modern garment materials can be coated and finished in many different ways; some of which may alter their application and health & safety requirements. We recommend thorough checking and testing of any garment material to determine the correct requirements before application.